

# VANESSA M. MALONE, P.E.

P.O. Box 206, SANFORD, FL, 32772

TEL: 412-503-2144

EMAIL: [VMMALONE@GMAIL.COM](mailto:VMMALONE@GMAIL.COM)

[CURRICULUM VITAE](#)

## TECHNICAL EXPERTISE

INDUSTRY - STRUCTURAL ENGINEERING / NUMERICAL ANALYSIS	
<b>CAD:</b>	AutoCAD Mechanical; AutoDesk Inventor; AutoDesk Revit; AutoDesk Navisworks; Bentley Microstation; Myriad
<b>FEA:</b>	ANSYS MAPDL; ABAQUS CAE; GT Strudl; RISA; Tekla Structural Designer; STAAD Pro; SAP 2000; ETABS; SAFE ; FLEX; ABAQUS HyperMesh; Siemens NX
<b>SSI:</b>	SASSI 2010; SC SASSI
<b>COMPUTATION:</b>	Visual Basic; Java; C++; PYTHON; JavaScript; NI LabVIEW; MATLAB; Maple; Wolfram Mathematica; LaTeX; MATHCAD
<b>DESIGN CODES:</b>	AISC N690; IEEE 344; IEEE 628; ASCE 4-98; ASCE 4-16; ACI 318-19; IBC 2012; ASCE 07-19; ASME/ANSI B36.10M; ASME-BTH; IBC 2012; AWC NDS 2015; AASHTO LRFD Bridge Design Spec. 2012; TMS 402/602 2013; TPI 1-2007; 2014 NYC Building Code; Eurocode 1: BS EN 1991-4 2006.
<b>CERT (U.S.):</b>	OSHA-10; NYC DOB 16-HR Suspended Scaffold Training; Secure Worker Access Consort (SWAC)
<b>LICENSES (U.S.):</b>	P.E. (Florida), P.E. (California)

## RELEVANT EDUCATION:

<b>M.Sc.</b>	GPA: 3.32	Civil Engineering: Computational Mechanics	2011
Dept of Civil and Environmental Engineering, Carnegie Mellon University (CMU), Pittsburgh, PA			
<b>B.Sc.</b>	GPA: 3.80	Chemistry	2009
Dept of Science and Math, University of the Virgin Islands (UVI), St. Thomas, USVI			

## RELEVANT WORK EXPERIENCE

### ➤ Preeminent Solutions

#### ➤ Principal Engineer

➤ Work as civil-structural principal engineer for firm specializing in design and forensic investigations to support residential and commercial building projects.

Sanford, FL

05-2023 to Present

### ➤ JACOBS, Engineering Ground Services

#### ➤ Structural Engineer

➤ Work as Structural Analyst to support NASA (National Aeronautics and Space Administration) Engineering Ground Systems.

➤ **Project 1: KSC Vehicle Assembly Building (VAB) Foundation Evaluation Static and Dynamic Loading:** Evaluate VAB foundation (incl. R/C slabs, R/C walls, R/C deep beams, R/C thresholds, and steel piles) for the ~700kip Rocket Core Stage Loads. Use hand calculations, Strut-and-tie method (for deep beam analysis), and Finite Element (FEA) analysis (via CSI SAFE and Siemens NX) to analyze structural elements for static set down loads and dynamic braking loads. Conduct site Walkdowns, coordinate with NASA counterparts, and organize group analysts for client

➤ **Project 2: KSC Launch Complex Pad 39B (LC-39B) Concrete Eval. and Water Tower Eval. Under Wind Loads:** Evaluate Water Tower (steel truss tower) and tower foundation (i.e. R/C pedestal, and steel piles) used in rocket launch Sound Suppression system. Evaluate tower and foundation under hurricane level Wind Loads. Used CSI SAP 2000, Staad Pro, and hand calcs for analysis.

➤ **Project 3: KSC Launch Complex Pad 39B (LC-39B) Concrete Repair:** Provide repair recommendations to spalled concrete parapet walls and Mobile Launcher pedestals (i.e. R/C pedestal) used in rocket launch Sound Suppression system. Provide lasting repair recommendations for next launch

Kennedy Space Center, FL

06-2019 to 12-2023

### ➤ SSI Consulting (Contract, Part-time)

#### ➤ Sr. Engineer

➤ Work remotely as a part-time, independent contractor to design trussed towers and silos throughout the U.S. and Mexico.

➤ **Project 1: Clinker Truss Tower Design:** Design and produce quantity take-off for steel truss tower based in San Antonio Texas. Design and analyze structure with RISA 3D.

➤ **Project 2: Merido Factory Silo Cost Estimate:** Design and produce quantity take-off for concrete roof for silo based in Merida, Mexico. Design and analyze structure with RISA 3D and in accordance with the 2008 CFE Viento (self-translated from Spanish)

Remote

03-2023 to 06-2023

### ➤ General Electric via Empyrean Services (Contract, Part-time)

#### ➤ Sr. Seismic Engineer

➤ Work remotely as a part-time, contract Seismic Analyst in the GE Hitachi Nuclear Energy Civil Structural Engineering Group for the design of BWRX nuclear powerplants in Canada::

➤ **Project: BWRX Containment Structure Analysis and Post-Processing:** Analyze the BWRX Containment Structure under static and 1G seismic loading. Analyze SASSI element shell stress results and ANSYS element shell stress results for 50 disparate structural element groups. Analyze results over several iterations of BWRX design. Generate SASSI post-processing input files through modification of SASSI batch files via Command Prompt. Perform data analysis using Python and Visual Basic VBA. Produce stress plots and perform comparative analysis of SASSI and ANSYS stress data using Python, Visual Basic VBA , and

Remote

01-2022 to 06-2022

ANSYS INP files. *Position has heavy emphasis on data analysis, object-oriented programming, and ANSY MAPDL.* Position ended due to budget cuts.

➤ **THORNTON TOMASETTI, Applied Science, Forensics**

**New York, NY**

➤ **Forensic Project Engineer**

**11-2017 to 04-2019**

➤ *Work as structural project engineer between the Thornton Tomasetti (TT) Forensics and Applied Science Groups.*

➤ **Project 1: Silo Deformation Forensic Analysis:** Modeled and Analyzed 4 steel silos located in British Colombia, Canada. Analyzed structure for static soil pressure loading, material vertical and lateral pressures and design loads. Analyzed structure for differential settlement and non-uniform soil loading. Required use of SAP 2000 for FEA analysis and Eurocode 1: BS EN 1991-4 2006 and ASCE 7-10 for load determination.

➤ **Project2: Lap Shear Analysis of Auto Components:** Modelled and Analysis steel and Aluminium components with epoxy resin under increasing loads using von Mises and Drucker-Prager yield criterion to best determine tensile capacity of resin under dynamic loading. Required use of FLEX proprietary FEA software for modelling.

➤ **Project 3: Wooden Truss Forensic Analysis:** Conduct structural analysis on prefabricated Southern Pine (1,2,&3) trusses with faulty Metal Connector Plates (MCP). Extract Member forces, determine member capacity (in accordance with TPI 1-2007), and detail likely causes of failure. Required use of SAP 2000 for FEA analysis to confirm hand calculations and AWC-NDS 2012 and TPI 1-2007 for member capacity determination.

➤ **Project 4: Analysis of Submarine Data Collection Cables under Hydrostatic Pressure:** Modelled and analysed pre-pressurized fiber-reinforced polymer cables under drag forces, internal pressure initial conditions and external hydrostatic pressure. Data used in the validation of existing test methods. Required use of ABAQUS, ABAQUS HyperMesh, and PYTHON.

➤ **Project 5: Temporary Sidewalk Structures and Scaffolding Review:** Peer-check wooden sidewalk scaffolding and temporary support structures in accordance with ASCE 7-05, ASCE 7-10, NYC Building Code 2014, and AWC-NDS 2012

➤ **Project 6: High-Rise Facade Inspection via Suspended Scaffold:** Conduct inspections of terracotta facade for high rise structure in the NYC Upper East Side. Inspected façade tiles and fins for cracks and structural deficiencies. Required NYC DOB 16-HR Suspended Scaffold Training and OSHA-10 training for task.

➤ **Project 7: Bridge: Ship Impact Assessment:** Analyze effects of ship impact on bridge structure and substructure (specifically the impact on pier and pile cap) located in NYC, New York. Required use of AASHTO LRFD 2012, ETABS, SAP2000.

➤ **Project 8: Fertilizer Conveyor River Truss Collapse, Ship Stability Analysis:** Investigated the contribution of barge ship stability to conveyor river truss collapse in Rosedale, Mississippi. Conveyor truss was simply supported by barge prior to buckling failure and ultimate collapse. Investigated potential improper loading and its contribution creating an uneven supporting surface for the conveyor truss and thus its contribution to truss failure.

➤ **ENERCON**

**Baton Rouge, LA**

➤ **Structural Design Engineer**

**05-2017 to 10-2017**

➤ *Work as structural design engineer within Civil Engineering Group at the ENERCON Baton Rouge office.*

➤ Design and Analyze Seismic Category I and Category II piping and structural elements for the River Bend Nuclear Generating Station, Waterford Steam Electric Station Unit 3, and the Arkansas Nuclear One (ANO) Plant

➤ Submit and review design changes in accordance with ASCE 4-98, ACI 318-14, ASCE 07-05, and ANSI B36.10M criteria.

➤ **Project 1: Temporary Shielding Pipe Evaluation and Pipe Support Evaluation (Riverbend):** Evaluate the loading effects of temporary lead shielding (weight of 30 lb/linear foot) on non-seismically qualified pipe lines and pipe supports. Recommend temporary pipe supports, to reduce load, as necessary.

➤ **Project 2: Bullet Resistant Enclosure (BRE) Slab Design (Waterford 3):** Design and evaluate slab expansion for existing slab to support 15'x15' area of BRE structural tower and supporting BRE blocks. Slab evaluation was designed using 3000 psi concrete and HILTI epoxy grout dowels to prevent differences in settling between the existing slab and the newly poured slab expansion.

➤ **SOUTHERN NUCLEAR.(via Planet Forward, LLC.)**

**Birmingham, AL**

➤ **Structural-Seismic Fragility Engineer (Contracted)**

**05-2015 to 04-2017**

➤ *Worked as contracted structural-seismic fragility engineer within Risk Informed Engineering (RIE) Seismic Probability Risk Assessment (SPRA) group*

➤ Modeled and analyzed Seismic Category I and Category II Structures in Joseph Farley, Edwin Hatch, and Alvin Vogtle Nuclear Powerplants using FEA software (namely SAP 2000 and SASSI)

➤ Conduct Soil-Structure Interaction (SSI) Analysis of Seismic Category I and Category II Structures using SASSI 2010 and SC-SASSI

➤ Conduct Cracked Section Analysis of Area Sections within Evaluation of Structural Performance, in response to seismic event

➤ Train in-coming engineers in FEA and SSI analysis

➤ Review analyses in accordance with AISC N690, ASCE 4-98, ACI 318-14 criteria

➤ Peer-check, Review, and Accept or Reject contractor calculations and submissions

➤ Author, review, and verify FEA and SSI analyses

**➤ WESTINGHOUSE ELECTRIC, CO.(via SystemOne, Inc.)****Cranberry Twp, PA****➤ Civil Engineer: Electrical, I&C, and HVAC Layout (Contracted)****01-2014 to 10-2014**

- Work as contracted structural technical lead within AP1000 Nuclear Power Plant New Plants Engineering and Structures in the Electrical, HVAC, and I&C Layout Group
- Design and model large-frame instrument supports using FEA software (namely GT-Strudl) to meet seismic criteria and to reflect and thermal effects
- Author and Verify hand calculations of smaller instrument supports
- Evaluate supports to meet AISC N690 criteria and IEEE 344 criteria and as-needed Nuclear Regulatory Commission (NRC) criteria
- Collaborate with off-shore international (India) contract engineers and external (German) partner engineers
- Peer-check, Review, and Accept or Reject contractor calculations and submissions
- Collaborate and coordinate with other on-site analytical groups and corresponding group engineers
- Create and Standardize interdepartmental analytical procedures and control documents
- Edit and Update drafter drawings and engineer mark ups
- Author, review and verify structural engineering designs of instrument supports

**➤ Civil Engineer: Structural Design, Engineer Embedments (Contracted)****02-2013 to 12-2013**

- Work as contracted civil engineer within AP1000 Nuclear Power Plant New Plants Engineering and Structures in the Structural Embedments Group.
- Author, review and verify structural engineering designs of non-standard overlay, deformed wire anchor, and headed anchor embedment plates.
- Extract, review, and analyze embedment Load and embedment load Calculations, using GT-Strudl and MS Excel
- Model and Modify Embedment Geometry and Orientation using AutoDesk Navisworks
- Aid in Embedment Database Development and Review

**REFERENCES AVAILABLE UPON REQUEST****PROJECT SAMPLES AVAILABLE UPON REQUEST**